



Move sliding glass walls with the greatest of ease and park them in the smallest of spaces

# HAWA-Motus 150/GV-matic


Are you looking for a hardware system that can move up to 20 sliding glass doors and park them in the smallest of spaces, all at the touch of a button? Then look no further – the HAWA-Motus 150/GV-matic is the automatic solution for your requirements. Its many advantages predestine the system for use in banks, open plan offices, shopping centres, airports, shopping arcades, and anywhere else where elegant and convenient sliding glass walls are needed for room partitioning.



### **About the product**

This completely new Hawa design for automatic hardware moves sliding glass walls of up to 30 metres in width gently and quietly in high-quality top tracks. Its intelligent menu control sets new standards in user-friendliness with regard to both start-up and daily operation. And the groundbreaking hardware system is an unreserved pleasure for the eye, too, as every technical component is invisibly integrated into the top tracks. All the eye can see is an attractive glass retainer profile that emphasises the transparency of your glass system instead of detracting from it.


Countless floor plans - 3 examples:




Parallel stacking in a recess.



Just one finger to master operation: thanks to menu-driven controls.



90° stacking for systems with directional change and pivot doors.



Fanned stacking for curved systems.

Technical specifications

Max. door weight 150 kg

Door width 850-1500 mm


Max. door height 3500 mm


Glass thickness

ESG 10/12/12.7 mm

Max. no. of doors 20

Operating voltage 100-240 VAC
50-60 Hz





### At a glance

- For up to 20 sliding glass doors with a maximum door weight of 150 kg.
- System widths of up to 30 metres.
- Various individual designs possible thanks to modular, pluggable top track system.
- Simple start-up thanks to menudriven controls.
- No additional covers required as the drive technology is integrated into the top track.
- Intelligent drive, power supply and communications system for each door.
- Minimum space requirements in the parking area.

- Elegant design and secure automatic locking.
- Same appearance as HAWA-Variotec 150/GV profiles, therefore combinable with manual systems.
- Other door materials can be used in addition to glass.
- Very safe system stops automatically when it encounters an obstacle.
- Retrospective automation easily possible.
- System is CE compliant.
- Extensive design and assembly documentation as well as guidelines and instructions for concept, installation and operation.

## **Further information:**

Hawa AG CH-8932 Mettmenstetten Switzerland Tel. +41 44 767 91 91 Fax+41 44 767 91 78 www.hawa.ch

